

Quick Reference Safety Card for Virkon-S® tablets

All information provided in this Data Sheet refers specifically to the Virkon-S tablets, as supplied. It **does not apply** to the in-use solution unless otherwise stated.

COMPOSITION

Active Ingredients: Potassium Peroxymonosulfate and Sodium chloride

Unique Label Statements: **KEEP OUT OF REACH OF CHILDREN**

HAZARDS IDENTIFICATION - Potential Health Effects

Eye contact with product diluted in water according to package directions (1% solution) is not an eye irritant. Eye contact with dry powder may cause eye corrosion or ulceration. Severe eye damage may result if not immediately treated.

Skin contact with product diluted in water according to package directions (1% solution) is not a skin irritant. Skin contact with dry powder may cause skin burns or ulceration. In rare cases, skin contact with dry powder may cause an allergic skin reaction in sensitive individuals.

Ingestion of this product may cause gastritis, with stomach pain, nausea, vomiting, diarrhea, headache or weakness; possibly progressing to necrosis or hemorrhage with gross overexposure.

Inhalation of this product may cause nose bleed or irritation of the upper respiratory passages, with coughing, sneezing, runny nose and sore throat. Gross overexposure may cause ulceration of mucous membranes.

Quick Reference Safety Card for Virkon-S® tablets

All information provided in this Data Sheet refers specifically to the Virkon-S tablets, as supplied. It **does not apply** to the in-use solution unless otherwise stated.

COMPOSITION

Active Ingredients: Potassium Peroxymonosulfate and Sodium chloride

Unique Label Statements: **KEEP OUT OF REACH OF CHILDREN**

HAZARDS IDENTIFICATION - Potential Health Effects

Eye contact with product diluted in water according to package directions (1% solution) is not an eye irritant. Eye contact with dry powder may cause eye corrosion or ulceration. Severe eye damage may result if not immediately treated.

Skin contact with product diluted in water according to package directions (1% solution) is not a skin irritant. Skin contact with dry powder may cause skin burns or ulceration. In rare cases, skin contact with dry powder may cause an allergic skin reaction in sensitive individuals.

Ingestion of this product may cause gastritis, with stomach pain, nausea, vomiting, diarrhea, headache or weakness; possibly progressing to necrosis or hemorrhage with gross overexposure.

Inhalation of this product may cause nose bleed or irritation of the upper respiratory passages, with coughing, sneezing, runny nose and sore throat. Gross overexposure may cause ulceration of mucous membranes.

**Quick Reference Safety Card
for Virkon-S® tablets**

FIRST AID MEASURES - Call **Poison Control (1-800-222-1222)** or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF IN EYES: Hold eye open & rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes then continue rinsing the eye.

IF INHALED: Move person to fresh air. If person is not breathing, call 911. Give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Call Poison Control Center (1-800-222-1222) or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

HANDLING AND STORAGE

Keep container tightly sealed and avoid coming into contact with moisture. Do not remove desiccant from bottle.

Store all material in original container.

Store in a cool, dry place.

Wash hands after use.

**Quick Reference Safety Card
for Virkon-S® tablets**

FIRST AID MEASURES - Call **Poison Control (1-800-222-1222)** or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF IN EYES: Hold eye open & rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes then continue rinsing the eye.

IF INHALED: Move person to fresh air. If person is not breathing, call 911. Give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Call Poison Control Center (1-800-222-1222) or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

HANDLING AND STORAGE

Keep container tightly sealed and avoid coming into contact with moisture. Do not remove desiccant from bottle.

Store all material in original container.

Store in a cool, dry place.

Wash hands after use.